



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ---- Guaranteed.



*EX300 Dumps
EX300 Braindumps
EX300 Real Questions
EX300 Practice Test
EX300 Actual Questions*



killexams.com

Redhat

EX300

Red Hat Certified Engineer - RHCE

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/EX300>



Question #29 Section 2

Create a Shell script /root/program:

The shell script will come back to "user" parameter when you are entering "kernel" parameter.

The shell script will come back to "kernel" when you are entering "user" parameter.

It will output the standard error when this script "usage:/root/program kernel|user" don't input any parameter or the parameter you inputted is entered as the requirements.

Answer: See Explanation

```
[root@server1 virtual]# cat /root/program
#!/bin/bash param1="$1"
if [ "$param1" == "kernel" ]; then echo "user"
elif [ "$param1" == "user" ]; then echo "kernel" else
echo "usage:/root/program kernel|user" fi
```

```
[root@server1 ~]# chmod +x /root/program
```

Question #30 Section 2

Given the kernel of a permanent kernel parameters: sysctl=1.

It can be shown on cmdline after restarting the system.

Kernel of /boot/grub/grub.conf should be added finally, as:

Answer: See Explanation

Kernel of /boot/grub/grub.conf should be added finally, as:

```
kernel /vmlinuz-2.6.32-279.1.1.el6.x86_64 ro root=/dev/mapper/vgsrv-root rd_LVM_LV=vgsrv/root rd_NO_LUKS
```

```
LANG=en_US.UTF-8 -
rd_LVM_LV=vgsrv/swap rd_NO_MD
```

```
SYSEFONT=latacyrheb-sun16 crashkernel=auto KEYTABLE=us rd_NO_DM rhgb quiet rhgb quiet sysctl=1
KEYBOARDTYPE=pc
```

Question #31 Section 2

Forbidden the Mary user configuration tasks in your system.

Answer: See Explanation

Modify the /etc/cron.deny, add:

```
[root@server1 ~]# cat /etc/cron.deny mary
```

Conclusions:

1. I find that it is common to add various service access limits in the exam RHCE. The exercises like: require one network segment can be accessed another network segments can not be accessed, the following are some conclusions for various service:
tcp_wrappers:/etc/hosts.allow,/etc/hosts.deny tcp_wrappers can filter the TCPs accessing service. TCP whether has the filtering function which depends on this service whether use the function library of tcp_wrappers, or this service whether has the xinetd process of starting function of tcp_wrappers. tcp_wrappers main configuration file is /etc/hosts.allow,/etc/hosts.deny.
And the priority of the documents in hosts.allow is higher than hosts.deny. Visit will be passed if no match was found. sshd,vsftpd can use the filtering service of tcp_wrappers.

Configuration example:

```
150.203.6.66
```

```
sshd:.example.com 192.168.0. 192.168.0.0/255.255.255.0 150.203. EXCEPT
```

Notice:

The two configuration files syntax can refer to hosts_access(5) and hosts_options(5) sshd_config

There are four parameters in this configuration file: DenyUsers, AllowUsers, DenyGroups, AllowGroups, they are used to limit some users or user groups to proceed Remote Login through the SSH. These parameters priority level is DenyUsers->AllowUsers->DenyGroups->AllowGroups Configuration example:

```
AllowUsers tim rain@192.168.1.121 kim@*.example.com
```

httpd Service

Through the /etc/httpd/conf/httpd.conf in parameters, can add <Directory> to control the url access. Just as:

```
<VirtualHost *:80>
```

```
DocumentRoot /var/http/virtual -
```

```
ServerName www1.example.com -
```

```
<Directory /var/http/virtual/limited> Options Indexes MultiViews FollowSymlinks order deny,allow deny from all allow from 192.168.0.
```

```
</Directory>
```

```
</VirtualHost>
```

Notice:

So pay attention, denys and allows priority level in order deny,allow is: the backer has the higher priority level. But here, allows priority has a higher priority level.

nfs Service

nfs service directly control the visits through file /etc/exports, just as:

```
/common *.example.com(rw,sync) 192.168.0.0/24(ro,sync)
```

samba Service

Parameter hosts allow in /etc/samba/smb.conf which is used as Access Control,just as: hosts allow = 192.168.0.

```
192.168.1.0/255.255.255.0 .example.com
```

2. Paying attention to use Mount parameters: _netdev,defaults when you are mounting ISCSI disk.

3. Stop the NetworkManager

```
/etc/init.d/NetworkManager stop
```

```
chkconfig NetworkManager off
```

5. When you are deploying ifcfg-ethX, add parameters:

```
PEERDNS=no -
```

6. Empty the firewall in RHCSA, RHCE:

```
iptables -F
```

```
iptables -X
```

```
iptables -Z
```

```
/etc/init.d/iptables save
```

7. Narrow lv steps:

```
1.umount /dev/mapper/lv
```

```
2.e2fsck -f /dev/mapper/lv
```

```
3.resize2fs /dev/mapper/lv 100M
```

```
4.lvreduce -L 50M /dev/mapper/lv
```

```
5.mount -a
```

8. Mount the using command - swap which is newly added in /etc/fstab
9. If Verification is not passed when you are installing software, can import public key: rpm import /etc/pki/rpm/release and so on. In yum.repo, you also can deploy gpgkey, for example, gpgkey=/etc/pki/rpm/release
10. When you are using "Find" command to search and keep these files, paying attention to use cp -a to copy files if you use user name and authority as your searching methods.

Question #32 Section 2

Please set the selinux status as enforcing.

Answer: See Explanation

```
# getenforce 1
# vim /etc/sysconfig/selinux
SELINUX=enforcing
```

Question #33 Section 2

Please open the ip_forward, and take effect permanently.

Answer: See Explanation

```
# vim /etc/sysctl.conf
net.ipv4.ip_forward = 1
(takes effect immediately)
# sysctl -w
```

If no "sysctl.conf" option, use these commands:

```
# sysctl -a |grep net.ipv4
# sysctl -P net.ipv4.ip_forward = 1

# sysctl -w
```

Question #34 Section 2

Configure ssh to allow user harry to access, reject the domain t3gg.com (172.25.0.0/16) to access.

Answer: See Explanation

```
# yum install -y sshd
# chkconfig sshd on
# vim /etc/hosts.deny
sshd: 172.25.0.0/16
# service sshd restart
```

Use iptables:

```
# chkconfig iptables on
# iptables -F
# iptables -X
# iptables -Z
# iptables -nvL
# iptables -A INPUT -s 172.25.0.0/16 -p tcp --dport 22 -j REJECT
# services iptables save
# iptables -nvL
check port)
# cat /etc/services (
```

Question #35 Section 2

Configure the ftp to allow anonymously download the directory /var/ftp/pub, and reject the domain t3gg.com to access.

Answer: See Explanation

```
# yum install -y vsftpd  
# chkconfig vsftpd on  
# services vsftpd start
```

```
# vim /etc/hosts.deny  
vsftpd: 172.25.0.0/16
```

OR -

```
# iptables -A INPUT -s 172.25.0.0/16 -p tcp -dport 20:21 -j REJECT  
# services iptables save
```

Question #36 Section 2

Shutdown the /root/cdrom.iso under /opt/data, and set as boot automatically mount.

Answer: See Explanation

```
# cd /opt/  
# mkdir data  
# mount -t iso9660 -o loop /root/cdrom.iso /opt/data  
# vim /etc/fstab  
/root/cdrom.iso /opt/data iso9660 defaults,loop 0 0  
# mount -a  
# mount
```

```
vi /etc/fstab  
192.168.0.254:/data / common nfs defaults 0 0  
reboot the system.
```

SAMPLE QUESTIONS



*These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.*

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



Actual Exam Questions: *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

Exam Dumps: *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

Practice Tests: *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

Guaranteed Success: *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

Updated Content: *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

Technical Support: *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>
Kill your exam at First Attempt....Guaranteed!