

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Medical

CGFNS

Commission on Graduates of Foreign Nursing Schools



DEMO

Find some pages taken from full version

Following pages are for demo purpose only. Demo pages are randomly taken from full version.

Full version can be different from the demo version.

You can request the updated Demo by contacting support@killexams.com.

For Details about Full version Click <http://killexams.com/exam-detail/CGFNS>

QUESTION: 387

The micturition reflex center is located in the _____.

- A. Pons
- B. Midbrain
- C. Lumbar plexus
- D. Sacral plexus

Answer: D

QUESTION: 388

Which of the following match with the definition: a poor output of urine?

- A. Oliguria
- B. Pyruia
- C. Enuresis
- D. Diuresis

Answer: A

QUESTION: 389

Capillary loops located in the medulla are also known as _____.

- A. Vasa recta
- B. Urea collectors
- C. Trigone
- D. Macula densa

Answer: A

QUESTION: 390

The primary function of the descending loop of Henle in the kidney is?

- A. Reabsorption of sodium ions
- B. Reabsorption of water by osmosis

- C. Secretion of hydrogen ions
- D. Secretion of potassium ions

Answer: B

QUESTION: 391

Which of the following is not considered a part of the male urethra?

- A. Prostatic
- B. Membranous
- C. Vasapore
- D. Penile

Answer: C

QUESTION: 392

When glucose is found in urine it is called _____.

- A. Glucosuria
- B. Uremia
- C. Ureteritis
- D. Glucose intolerance

Answer: A

QUESTION: 393

Which of the following is not considered a component of kidney stones?

- A. Calcium phosphate
- B. Uric Acid
- C. Calcium oxalate
- D. HCO_3

Answer: D

QUESTION: 394

The one of the functions occurring at the distal convoluted tubule in the kidney is?

- A. Passive secretion of hydrogen ions
- B. Passive secretion of potassium ions
- C. Limited re-absorption of water
- D. No re-absorption of sodium

Answer: B

QUESTION: 395

ADH has which of the following effects on the distal convoluted tubule?

- A. Decrease water re-absorption
- B. Increase water re-absorption
- C. Decrease the concentration of urine
- D. Increase the urine volume

Answer: B

QUESTION: 396

Which of the following is not associated with the role of the kidneys?

- A. Release of erythropoietin (hormone)
- B. Release of renin (enzyme)
- C. Release of Vitamin E
- D. Activate Vitamin D

Answer: C

QUESTION: 397

Each kidney contains approximately _____ nephrons.

- A. 10 million

- B. 1 million
- C. 100,000
- D. 10,000

Answer: B

QUESTION: 398

The release of Angiotension II causes which of the following to occur?

- A. Increased filtration rate
- B. Decreased glomerular hydrostatic pressure
- C. Increase synthesis of Vitamin E
- D. Increased release of erythropoietin

Answer: A

QUESTION: 399

Which of the following is an effect of a diuretic?

- A. Decreased Cardiac Output
- B. Increased fluid volume
- C. Increased sodium re-absorption
- D. Increased chloride ion re-absorption

Answer: A

QUESTION: 400

Which of the following is not considered a loop diuretic?

- A. Bumetadine (BUMEX)
- B. Furosemide (LASIX)
- C. Chlorthiazide (DIURIL)
- D. Ethacrynic Acid (EDECIN)

Answer: C

For More exams visit <http://killexams.com>



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!