

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Medical

CGFNS

Commission on Graduates of Foreign Nursing Schools

QUESTION: 387

The micturition reflex center is located in the _____.

- A. Pons
- B. Midbrain
- C. Lumbar plexus
- D. Sacral plexus

Answer: D

QUESTION: 388

Which of the following match with the definition: a poor output of urine?

- A. Oliguria
- B. Pyruia
- C. Enuresis
- D. Diuresis

Answer: A

QUESTION: 389

Capillary loops located in the medulla are also known as _____.

- A. Vasa recta
- B. Urea collectors
- C. Trigone
- D. Macula densa

Answer: A

QUESTION: 390

The primary function of the descending loop of Henle in the kidney is?

- A. Reabsorption of sodium ions
- B. Reabsorption of water by osmosis

- C. Secretion of hydrogen ions
- D. Secretion of potassium ions

Answer: B

QUESTION: 391

Which of the following is not considered a part of the male urethra?

- A. Prostatic
- B. Membranous
- C. Vasapore
- D. Penile

Answer: C

QUESTION: 392

When glucose is found in urine it is called _____.

- A. Glucosuria
- B. Uremia
- C. Ureteritis
- D. Glucose intolerance

Answer: A

QUESTION: 393

Which of the following is not considered a component of kidney stones?

- A. Calcium phosphate
- B. Uric Acid
- C. Calcium oxalate
- D. HCO_3

Answer: D

QUESTION: 394

The one of the functions occurring at the distal convoluted tubule in the kidney is?

- A. Passive secretion of hydrogen ions
- B. Passive secretion of potassium ions
- C. Limited re-absorption of water
- D. No re-absorption of sodium

Answer: B

QUESTION: 395

ADH has which of the following effects on the distal convoluted tubule?

- A. Decrease water re-absorption
- B. Increase water re-absorption
- C. Decrease the concentration of urine
- D. Increase the urine volume

Answer: B

QUESTION: 396

Which of the following is not associated with the role of the kidneys?

- A. Release of erythropoietin (hormone)
- B. Release of renin (enzyme)
- C. Release of Vitamin E
- D. Activate Vitamin D

Answer: C

QUESTION: 397

Each kidney contains approximately _____ nephrons.

- A. 10 million

- B. 1 million
- C. 100,000
- D. 10,000

Answer: B

QUESTION: 398

The release of Angiotension II causes which of the following to occur?

- A. Increased filtration rate
- B. Decreased glomerular hydrostatic pressure
- C. Increase synthesis of Vitamin E
- D. Increased release of erythropoietin

Answer: A

QUESTION: 399

Which of the following is an effect of a diuretic?

- A. Decreased Cardiac Output
- B. Increased fluid volume
- C. Increased sodium re-absorption
- D. Increased chloride ion re-absorption

Answer: A

QUESTION: 400

Which of the following is not considered a loop diuretic?

- A. Bumetadine (BUMEX)
- B. Furosemide (LASIX)
- C. Chlorthiazide (DIURIL)
- D. Ethacrynic Acid (EDECIN)

Answer: C

For More exams visit <http://killexams.com> -



KILLEXAMS.COM

Kill your exam at First Attempt....Guaranteed!