

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



**Hitachi**

## **HH0-350**

*HDS Certified Specialist - NAS Architect*

**QUESTION: 58**

A customer plans to consolidate several multimedia servers that support jumbo frames into a Hitachi NAS Platform 4000 cluster. What must be done before increasing the MTU size in the HNAS 4000 system?

- A. Increase the MTU size in the Ethernet switch.
- B. Disable VLAN tagging.
- C. Disable Link Aggregation Control Protocol (LACP).
- D. Verify that all components in the path support jumbo frames.

**Answer: D**

**QUESTION: 59**

As part of a Hitachi NAS Platform design process a customer informs you of two business requirements. First, they need to have network redundancy by using two separate switches. Second, they require the ability to access multiple subnets on the same interface. Which two protocols will they need to implement on the NAS? (Choose two.)

- A. VLAN Tagging (802.1Q)
- B. Router Information Protocol (RIP)
- C. Hot Standby Router Protocol (HSRP)
- D. Link Aggregation Control Protocol (LACP 802.3ad)

**Answer: A, D**

**QUESTION: 60**

A Hitachi NAS cluster must provide CIFS services for a production Active Directory (AD) environment and also provide NFS services for Web Servers that reside in a DMZ. The DMZ network is isolated from production AD servers and uses its own host resolution services. Which licensed software feature is required to provide functional CIFS/NFS services for both environments?

- A. Cluster Name Space
- B. Mixed Mode
- C. Multi store
- D. EVS Security

**Answer: D**

For More exams visit <http://killexams.com> -



[KILLEXAMS.COM](http://KILLEXAMS.COM)

*Kill your exam at First Attempt....Guaranteed!*