

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



**Medical**

# OCN

*Oncology Certified Nurse*

**QUESTION: 1**

Which of the following is most recommended for early detection of colorectal cancer in normal-risk persons?

- A. Fecal occult blood test (FOBT) every five years
- B. Virtual colonoscopy every 5 years
- C. Colonoscopy every 10 years
- D. Double-contrast barium enema (DCBE) every 10 years

**Answer: C**

**QUESTION: 2**

According to a current theory of carcinogenesis, which of the following are required to transform normal cells into malignant ones?

- A. A carcinogenic initiating agent
- B. A promoter
- C. Both A and B
- D. Neither A nor B

**Answer: C**

**QUESTION: 3**

The granulocyte colony-stimulating factor (G-CSF) filgrastim (Neupogen):

- A. May be given as a single dose before chemotherapy
- B. Stimulates both neutrophil and monocyte/macrophage production
- C. Is not indicated for patients receiving bone marrow transplants
- D. May be given by subcutaneous injection or short intravenous (IV) infusion

**Answer: D**

**QUESTION: 4**

Ondansetron is:

- A. A chemotherapy drug

- B. A steroid
- C. An antiemetic
- D. An antibiotic

**Answer: C**

**QUESTION: 5**

An elderly cancer patient presents with abdominal pain. He appears dehydrated with abnormal vital signs. Emergency operation for a bowel obstruction is recommended by the attending surgeon. The patient seems somewhat confused and is unable to give a rational understanding and approval of informed consent. Which of the following would be the best first course of action?

- A. Delay the surgery until the patient is more rational
- B. Contact a relative or other valid representative to obtain permission
- C. Cancel surgery and attempt medical treatment
- D. Declare this an emergency and proceed with the surgery

**Answer: B**

**KILL EXAMS**

**KILLEXAMS.COM**

For More exams visit <http://killexams.com> -



[KILLEXAMS.COM](http://KILLEXAMS.COM)

*Kill your exam at First Attempt....Guaranteed!*