

Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



350-801 Dumps

350-801 Real Question

350-801 Practice Test

350-801 Actual Questions



killexams.com

Cisco

350-801

Implementing Cisco Collaboration Core Technologies (CLCOR)











Question: 433

Calls are being delivered to the end user in the globalized format. Where does an engineer configure the calling number into a localized format?

A . gateway

B . route pattern

C . IP phone

D . service parameters

Answer: A

Question: 434

A Cisco Unity Connection Administrator must set a voice mailbox so that is can be accessed form a secondary device.

Which configuration on the voice mailbox makes this change?

A . Mobile User

B . Alternate Names

C . Attempt Forward routing rule

D . Alternate Extensions

Answer: D

Question: 435

Which command in the MGCP gateway configuration defines the secondary Cisco Unified Communications Manager server?

 \boldsymbol{A} . ccm-manager redundant-host

B . Mgcp call-agent

 ${\bf C}$. Mgcpapp

D . ccm-manager fallback-mgcp

Answer: A

Question: 436

Regarding SIP integrations with Cisco Unified Communications Manager, if the Cisco Unity Connection is configured to listen for incoming IPv4 and IPv6 traffic, how should the addressing mode be set up in the Cisco Unity Connection?

- A . Set up media ports for each port group to use IPv4.
- B . Set up for each group to use IPv4 and IPv6.
- C . Set up IPv4 and IPv6 in cisco Unified C
- E . Set up is not required.

Answer: D

Question: 437

Which access control group is required on an end user to allow Jabber to do deskphone mode?

- A . Standard CTI Enabled
- B . Standard CTI Allow Reception of SRTP key Material
- C . Allow control of device from CTI
- D . Standard CTI Secure Connection

Answer: A

Question: 438

Which two protocols does Cisco IM and Presence use to authenticate Jabber? (Choose two.)

A.TCP

B. SOAP

C. AXL

D. XMPP

E.QBE

Answer: BD

Question: 439

Refer to the exhibit.

```
o=Cisco-SIPUA 13439 0 IN IP4 10.10.10.10
s=SIP Call
b=AS:4064
m=audio 0 RTP/AVP 114 9 124 113 115 0 8 116 18 101
C=IN IP4 10.10.10.10
b=TIAS:64000
a=rtpmap:114 opus/48000/2
a=fmtp:114 maxplaybackrate=16000;sprop-
maxcapturerate=16000,maxaveragebitrate=64000,stereo=0,sprop-stereo=0;usedtx=0
a=rtpmap:9 G722/8000
a=rtpmap:124 ISAC/16000
a=rtpmap:113 AMR-WB/16000
a=fmtp:113 octet-align=0;mode-change-capability=2
a=rtpmap:115 AMR-WB/16000
a=fmtp:115 octet-align=1;mode-change-capability=2
a=rtpmap:0 PCMU/8000
aurtpmap:8 PCMA/8000
a=rtpmap:116 it.8C/8000
a=fmtp:116 mode=20
a=rtpmap:18 G729/8000
a=fmtp:18 annexb=yes
```

```
b=TIAS:64000
a=rtpmap:114 opus/48000/2
a=fmtp:114 maxplaybackrate=16000;sprop-
maxcapturerate=16000;maxaveragebitrate=64000;stereo=0;sprop-stereo=0;usedtx=0
a=rtpmap:9 G722/8000
a=rtpmap:124 ISAC/16000
a=rtpmap:113 AMR-WB/16000
a=fmtp:113 octet-align=0;mode-change-capability=2
a=rtpmap:115 AMR-WB/16000
a=fmtp:115 octet-align=1;mode-change-capability=2
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:116 iLBC/8000
a=fmtp:116 mode=20
a=rtpmap:18 G729/8000
a=fmtp:18 annexb=yes
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=sendrecv
```

A call is failing to establish between two SIP Devices. The Called device answer with this SDP.

Which SDP parameter causes this issue?

- A. The RTP port is set to 0.
- B. The payload for
- C . 711ulaw must be 18.
- D . The media stream is set to sendonly.
- E . The calling device did not offer a ptime value.

Answer: A

Question: 440

A customer wants a video conference with five Cisco TelePresence IX5000 series system.

Which media resource is necessary in the design to fully utilize the immersive functions?

- A . Software conference bridge on Cisco Unified Communications Manager
- B. Cisco PVDM4-128
- C . Cisco Webex meetings server
- D . Cisco meeting server

Answer: D

Question: 441

An engineer with ID012345678 must build an international dial plan in Cisco Unified Communications Manager.

Which action should be taken when building a variable-length route pattern?

- A . Configure single route pattern for international calls
- B . Reduce the T302 timer to less than 4 seconds C . Create a second route pattern followed by the # wildcard
- D. Set up all international route pattern to 0.1

Answer: C

Question: 442

As a voice engineer, which two recommendations do you make to your company to optimize Cisco Unified Communications Manager configuration to reduce the number of toll fraud incidents? (Choose two.)

- A . Inbounds CSS on any gateway typically should have access to internal destinations only and not PSTN destinations.
- B. Classify all route patterns as on-net and prohibit on-net to on-net call transfers in Cisco Unified CM service parameters.
- C. Classify all route patterns as on-net or off-net and prohibit off-net call transfers in Cisco Unified CM Service parameters.
- D . Inbound CSS on any gateway typically should have access to internal destinations and PSTN destinations.
- E . Classify all route pattern as off-net and prohibit off-net to off-net call transfers in Cisco Unified CM service parameters.

Answer: AE

Question: 443

Which call routing pattern is used for phone numbers that are in the E.164 format?

A . /+.! Route Pattern

B . +.! Route pattern

C . +.! Translation pattern

D . +1. [2-9]XX[2-9]XXXXXXX called Party Transformation pattern

Answer: B

Question: 444

An engineer configures local route group names to simplify a dial plan.

Where does the engineer set the route group according to the local route group names that are configured?

A . CSS

B . device pool

C . route list

D . route pattern

Answer: B

Question: 445

An engineer is configuring a BOT device for a Jabber user is Cisco Unified Communication Manager.

Which phone type must be selected?

A . Cisco Dual mode for Android

B. Cisco Unified Client services Framework

- C . third-party SIP device
- D . Cisco Dual Mode for iPhone

Answer: A

Question: 446

Which settings are needed to configure the SIP route pattern in Cisco Unified Communications Manager?

- A . Pattern usage, IPv4 pattern, IPv6 pattern, and description
- B . Pattern usage, IPv4 pattern, and SIP trunk/Route list
- C . Pattern usage, IPv6 pattern, and SIP trunk/Route list
- D . SIP trunk/Route list, description, and IPv4 pattern

Answer: B

Question: 447

After an engineer runs the utils ntp status command on the Cisco Unified Communications Manager publisher, the stratum value is 16.

Which issue can the Cisco Unified CM cluster experience?

- A. The date/time group an all phones default to the time zone of the engineer.
- B. The cluster loses access to port 124 at the firewall.
- C. Unified CM sends an NTPv4 packet.
- D . Database replication is not synchronized on the Unified CM nodes.

Answer: D

Question: 448

What is a characteristic of video traffic that governs QoS requirements for video?

- A . Video is typically constant bit rate.
- B . Voice and video are the same, so they have the same QoS requirements.
- C . Voice and video traffic are different, but they have the same QoS requirements.
- D . Video is typically variable bit rate.

Answer: D

Question: 449

Which two functionalities does Cisco Expressway provide in the Cisco collaboration architecture? (Choose two.)

- A . Survivable Remote site Telephony functionality
- B . Secure firewall and NAT traversal for mobile or remote Cisco Jabber and TelePresence video endpoints
- C . Customer interaction management services
- D . Secure business-to-business communications

E . MGCP gateway registration

Answer: BD

Question: 450

An engineer encounters third-party devices that do not support Cisco Discovery Protocol.

What must be configured on the network to allow device discovery? A . TFTP $\,$

B . LACP C . LLDP D . SNMP

Answer: C

SAMPLE QUESTIONS



These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



<u>Actual Exam Questions</u>: Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.

Exam Dumps: Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.

<u>Practice Tests</u>: Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

<u>Guaranteed Success</u>: Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.

<u>Updated Content:</u> Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.

<u>Technical Support</u>: Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.