



Up-to-date Practice Test with Latest Questions and Answers covering latest syllabus and topics of the exam. Makes you ready to face actual exam.



1D0-735 Practice Questions  
1D0-735 Practice Test  
1D0-735 Practice Exam  
1D0-735 Exam Questions  
1D0-735 Study Guide



[killexams.com](http://killexams.com)

CIW

**1D0-735**  
*CIW JavaScript Specialist*

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/1D0-735>



### Question: 103

What is the expected result of executing the following code block in a Web browser?

```
var hour = 11;
if(hour = 12){ alert("Lunch time"); }
else { alert("Work time"); }
```

- A. A pop-up alert box will display lunch tune
- B. A pop-up alert box will display Work time.
- C. There is an error in the code, no pop-up alert box will appear
- D. Two pop-up alert boxes will appear, one will display Lunch time and one will display work time.

**Answer: D**

### Question: 104

Consider the following code:

```
<input type="text" id="temp" value="0" />
<button onclick="checkTemp()">Enter your temperature in Fahrenheit.</button>
<p id="fever"></p>
<script type="text/javascript">
function checkTemp() {
    var temp, fever;
    temp = document.getElementById("temp").value;
    fever = (temp > 98.6) ? "a fever":"no fever";
    document.getElementById("fever").innerHTML = "You have " + fever + ".";
}
</script>
```

Which of the following is true based on the above code?

- A. fever = (temp > 98.7) ? "a fever": "no fever"; is not a valid statement
- B. Entering 98.7 results in the statement. "You have no fever "
- C. The default value of 0 will be displayed when the page loads
- D. The checktemp function will not run because it was called upon before it was defined

**Answer: A**

### Question: 105

Consider the following code:

```
<form name="orderForm">
<select name="ccType">
  <option value="0">Select One</option>
  <option value="1">American Express</option>
  <option value="2">Discover</option>
  <option value="3">Mastercard</option>
  <option value="4">Visa</option>
</select>
<br />
<input type="button" value="Go" onclick="processForm();" />
</form>
```

Ginger needs to write a script to display a pop-up alert box with the type of credit card the user selected Which of the following code blocks should she use?

A)

```
var ccType = document.orderForm.ccType.value;
switch(ccType){
  case "1": alert("American Express"); break;
  case "2": alert("Discover"); break;
  case "3": alert("Mastercard"); break;
  case "4": alert("Visa"); break;
  default: alert("Select One");
```

B)

```
var ccType = document.orderForm.ccType.value;
switch(ccType){
  case "1": alert("American Express");
  case "2": alert("Discover");
  case "3": alert("Mastercard");
  case "4": alert("Visa");
  default: alert("Select One");
}
```

C)

```
var ccType = document.orderForm.ccType.value;
switch(ccType){
  case("1"){ alert("American Express"); }
  case("2"){ alert("Discover"); }
  case("3"){ alert("Mastercard"); }
  case("4"){ alert("Visa"); }
  default(){ alert("Select One"); }
```

D)

```
var ccType = document.orderForm.ccType.value;
switch(ccType){
  case "1"{ alert("American Express"); }
  case "2"{ alert("Discover"); }
  case "3"{ alert("Mastercard"); }
  case "4"{ alert("Visa"); }
  default{ alert("Select One"); }
```

A. Option A

- B. Option B
- C. Option C
- D. Option D

**Answer: C**

### Question: 106

Consider the following code:

```
1 <script type="text/javascript">
2   function supportTicket(date, name, email, item, description){
3     this.date = date;
4     this.name = name;
5     this.email = email;
6     this.item = item;
7     this.description = description; }
8   var ticket1 = new supportTicket("2017-06-05", "Ryan Nuen", "ryan.nuen@ciwcertified.com", "GTQ6741", "The computer
will not connect to the Internet.");
9   supportTicket.prototype.resolved = false;
10  var ticket2 = new supportTicket("2017-06-06", "Eliza Cruke", "eliza.cruke@ciwcertified.com", "GTQ3561", "I need
the network printer in office 203 installed on my computer.");
11 </script>
```

What does line 9 do?

- A. Nothing it must written as supportTicket. prototype, this, resolve = resolve; to add the properly resolved to the custom supportTicket object
- B. it add the property resolved to the original instantiated custom supportTicket object ticket1.
- C. it add the property resolved to the newly instantiated custom supportTicket object ticket1.
- D. it add the property resolved to all instances instantiated custom supportTicket object ticket1 and ticket2.

**Answer: B**

### Question: 107

Juan is testing his JavaScript application, which includes the following code:

```
var month = prompt("What month were you born?");
var firstName = prompt("What is your first name?");
var birthMonth = firstName + " was born in " + month + ".";
```

Assuming Juan enters August for his birth month and his name for first name, what is the value of birthMonth after executing this code?

- A. August
- B. Juan was born in August
- C. Juan was born in August
- D. What month were you born? What is your first name?

**Answer: A**

### Question: 108

What is the expected result when executing the following scripts in a web browser?

- A. A pop-up alert box will display Fair followed by a pop-up alert box displaying Bad

- B. A pop-up alert box will display Poor
- C. There is an error in the code, no pop-up alert box will appear
- D. Two pop-up alert boxes will appear one will display Fair and one will display Poor

**Answer: A**

**Question: 109**

Which script will display Configurations, you won! In the browser when the script is run?

A)

```
<script type="text/javascript">  
var congrats1 = "Congratulations, ";  
var congrats2 = "you won!";  
document.write(congrats1 + congrats2);  
</script>
```

B)

```
<script type="text/javascript">  
var congrats1 = "Congratulations, ";  
var congrats2 = "you won!";  
windows.write(congrats1 + congrats2);  
</script>
```

C)

```
<script type="text/javascript">  
var congrats1 = "Congratulations, ";  
var congrats2 = "you won!";  
document.prompt(congrats1 + congrats2);  
</script>
```

D)

```
<script type="text/javascript">  
var congrats1 = "Congratulations, ";  
var congrats2 = "you won!";  
alert.document(congrats1 + congrats2);  
</script>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: B**

**Question: 110**

Kirken needs to write a script to construct custom objects that store user account information such as a username, password and e-mail address for a Web site.

What should he add to the following code to set these properties?

```
function accountObj(username, password, emailAddress){  
  /* code goes here */  
}
```

A)

```
objUsername = this.username;  
objPassword = this.password;  
objEmailAddress = this.emailAddress;
```

B)

```
username = objUsername;  
password = objPassword;  
emailAddress = objEmailAddress;
```

C)

```
objUsername = username;  
objPassword = password;  
objEmailAddress = emailAddress;
```

D)

```
this.objUsername = username;  
this.objPassword = password;  
this.objEmailAddress = emailAddress;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: C**

**Question: 111**

Consider the following code:

```
<!DOCTYPE html>
<head>
<meta charset=utf-8" />
<title>Online Store</title>
<script type="text/javascript">
function Welcome()
{
var message="Welcome to our online store!";
alert(message); }
</script>
</head>
<body onload="Welcome()">
</body>
</html>
```

What is the expected result of this script?

- A. The word "Welcome" will be displayed in a prompt when the page loads
- B. A welcome message will appear when the page loads
- C. When you click the alert a welcome message will appear
- D. When you click the welcome message a welcome alert will load

**Answer: C**

### Question: 112

Jaime needs to write a script to remove all the non-digit characters from a phone number so that all that remains are the numbers. She knows that she will need to use a regular expression to search for non-digit characters and can use a method to remove all the non-digit characters.

Which code should she use?

A)

```
var userPhoneNum = "(555) 555-5555";
var regexp = /\D/g;
var cleanPhoneNum = userPhoneNum.match(regexp, "");
```

B)

```
var userPhoneNum = "(555) 555-5555";
var regexp = "/\D/g";
var cleanPhoneNum = userPhoneNum.replace(regexp, "");
```

C)

```
var userPhoneNum = "(555) 555-5555";
var regexp = /\D/g;
var cleanPhoneNum = userPhoneNum.replace(regexp, "");
```

D)

```
var userPhoneNum = "(555) 555-5555";
var regexp = "/\D/g";
var cleanPhoneNum = userPhoneNum.match(regexp, "");
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: B**

### Question: 113

Consider the following code:

```
var name = "Jacob";  
name.toUpperCase();  
document.write(name);
```

What change should be made to ensure that it correctly displays the value of name in all uppercase letters?

- A. Line 2 should be changed to name = name . toUpperCase ();
- B. Line 2 should be changed to name .prototype . toUpperCase ();
- C. Line 3 should be changed to document. write (NAME) ;
- D. Line 1 should be changed to var name = new sting("Jaccb");

**Answer: C**

### Question: 114

Consider the following code:

```
<script type="text/javascript">  
var myString = "Dear John";  
alert(myString.substring(2, 6));  
</script>
```

What text will display in the alert dialog box?

- A. Ear J
- B. Ar Jo
- C. Ear Jo
- D. Ar J

**Answer: A**

### Question: 115

What basis code is needed to define the JavaScript function avgGrades?

- A. Function avgGrades () {}
- B. avgGrades function ()
- C. avgGrades (){ }
- D. var = function avgGrades () {}

Killexams.com is a leading online platform specializing in high-quality certification exam preparation. Offering a robust suite of tools, including Exam Questions, practice tests, and advanced test engines, Killexams.com empowers candidates to excel in their certification exams. Discover the key features that make Killexams.com the go-to choice for exam success.



## Practice Exam Questions Based on Current Exam Objectives

Killexams.com provides practice exam questions aligned with the latest official exam objectives and latest syllabus. Our content is reviewed and updated regularly to reflect recent changes announced by certification vendors. By studying these practice questions, candidates will cover the structure, difficulty level, and topics of the actual exam, helping them prepare more effectively and efficiently.

## Comprehensive Practice Exams (PDF Format)

Killexams.com offers multiple-choice questions (MCQs) in easy-to-read PDF format, covering all major domains of the exam. Each PDF contains a structured collection of practice questions and verified answers designed to support focused study. These MCQs help candidates reinforce key concepts, identify knowledge gaps, and improve exam readiness through consistent practice.

## Realistic Practice Tests (Online Test Engine & Desktop Test Engine)

To support hands-on preparation, Killexams.com provides practice tests through both an Online Test Engine and a Desktop Test Engine. These tools are designed to simulate a real exam environment, allowing candidates to practice under exam-like conditions, with latest syllabus and topics of the exam. Performance tracking, test history, and result analysis help users evaluate their progress and focus on areas that need improvement.

## Risk-Free Purchase Policy

Killexams.com follows a transparent and customer-friendly purchase policy. If users are not satisfied with the study materials, they may request assistance or a refund in accordance with our published terms and conditions. This policy reflects our commitment to customer satisfaction, fairness, and confidence in our preparation resources.

## Regularly Updated Content

Our practice question bank is reviewed and updated on an ongoing basis to stay aligned with the latest exam outlines and vendor updates. This ensures candidates are studying up-to-date, relevant material, and preparing with content that reflects current exam expectations, helping them stay confident and well-prepared.