



Up-to-date Practice Test with Latest Questions and Answers covering latest syllabus and topics of the exam. Makes you ready to face actual exam.



HPE0-S59 Practice Questions
HPE0-S59 Practice Test
HPE0-S59 Practice Exam
HPE0-S59 Exam Questions
HPE0-S59 Study Guide



killexams.com

HP

HPE0-S59

HPE Compute Solutions

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/HPE0-S59>



Question: 103

Your customer plans to add four HPE Synergy frames to an existing management ring. All installed frames are equipped with two 2-port FLM modules, while new frames will be equipped with 4-port FLM modules.

Which statement about mixing different FLM modules is true?

- A. Existing 2-port FLM modules must be replaced with 4-port FLM modules
- B. A management ring can contain mixed frame link module configurations
- C. A management ring with mixed FLM modules cannot have more than 12 frames
- D. Mixing different FLM modules is allowed if all of them have the same firmware version

Answer: B

Question: 104

Your customer has the following HPE Synergy setup

- 3 HPE Synergy 12000 Frames
- 4 HPE Virtual Connect SE 100 Gb F32 Modules
- 2 HPE Synergy 50 GO Interconnect Link Modules
- 36 HPE Synergy 480 Gen10 Plus compute modules
- 2 HPE Composer 2 modules

Which statement about this setup is true?

- A. To use all compute nodes, the customer must create at least two logical enclosures
- B. To manage all frames, the customer must buy two additional HPE Composer 2 modules
- C. The customer must buy 36 HPE OneView Advanced licenses to manage compute modules
- D. The customer can add one D3940 storage Module to each of the frames

Answer: C

Question: 105

Which statement about manual orchestration during the firmware update is true?

- A. It is supported only for logical enclosures with at least three frames
- B. It provides an ability to select and update one side of the Interconnect topology at a time
- C. It provides the ability to install an older firmware version than currently installed in the interconnect
- D. It allows all the interconnect modules to be activated manually at the same time.

Answer: B

Question: 106

Your customer added a new Ethernet network in HPE OneView that is used to manage their HPE Synergy platform.

When the customer tries to connect one of the compute nodes to this network through the server profile, this network is not available.

What must be done to fix this issue?

- A. Check the Logical Enclosure settings and verify if the maximum number of networks allowed for this LE is reached.
- B. To make this network available to use in the server profile, the customer must enable the Smart Link feature within network definition.
- C. The newly created network must be added to the uplink set within the LIG, and Logical interconnect configuration must be updated from the LI
- D. Check within the server profile which server hardware is used and perform the Refresh operation on this compute node to get the latest adapter information.

Answer: C

Question: 107

Refer to the exhibit.

Create Logical Interconnect Group

General ▾



General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects



Changed: Name to "LIG-ETH"

Create

Create +

Cancel

Which statement about this logical interconnect group is true?

- A. The master modules are located in the interconnect bays 2 and 5
- B. For the given downlink speed, the maximum number of frames is reached
- C. Both master modules are located in the same HPE Synergy frame
- D. To use interconnect bay set 3, all compute nodes must be half-height

Answer: C

Question: 108

Which compute node parameters are captured within server hardware type?

- A. Number of the CPUs
- B. installed operating system
- C. Mezzanine card configuration

D. Size of the memory Installed

Answer: C

Question: 109

Which statement about login redistribution is true?

- A. Login redistribution is available only if HPE Primera or HPE Alletra is connected directly to the HPE Synergy frame
- B. Login redistribution is a licensed feature and the number of licenses required depends on the number of active ports
- C. Login redistribution is supported only on the HPE Synergy Virtual Connect SE 32Gb FC Modules
- D. Login redistribution is used for login balancing when they are not distributed evenly over the FC links

Answer: C

Question: 110

An administrator tries to open iLO interface from HPE OneView. Instead of being automatically logged in, a login prompt displays.

Where should you start the troubleshooting process?

- A. At the iLO interface to verify whether the iLO Advanced license is properly applied
- B. At HPE OneView Interface to verify whether the server is in the maintenance mode
- C. At the iLO interface to verify whether the SSO certificate is removed from an iLO
- D. At HPE OneView Interface to verify whether the iLO processor is disabled

Answer: A

Question: 111

Which statement about HPE Apollo 2000 Gen10 Plus platform is true?

- A. It is equipped with HPE Persistent memory by default
- B. It can support a single processor only and up to 4 per chassis
- C. It is fully managed using HPE OneView including all connections
- D. It offers servers with AMD EPYC and Intel Xeon Scalable CPUs

Answer: D

Question: 112

You need to configure a RoCE network to enable lossless networking for HPE J2000 Flash Enclosure support. Which interconnects are required to support this connection? (Select two.)

- A. HPE Virtual Connect SE 40Gb F8 Module for HPE Synergy
- B. HPE Virtual Connect SE 16Gb FC Module for HPE Synergy
- C. HPE Virtual Connect SE 100Gb F32 Module for HPE Synergy
- D. HPE Virtual Connect SE 32Gb FC Module for HPE Synergy
- E. Brocade 16Gb Fibre Channel SAN Switch Module for HPE Synergy
- F. Brocade 32Gb Fibre Channel SAN Switch Module for HPE Synergy

Answer: A,B,D

Question: 113

DRAG DROP

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView.

Put the steps to achieve this goal into the coned order in the answer area on the right.

Steps	Answer Area
Create a logical enclosure.	
Create a logical interconnect group with uplink sets.	
Create an enclosure group.	
Create server profile templates and server profiles.	
Define all required networks.	

Answer: A,B,D

Question: 114

A logical interconnect group can span on multiple HPE Synergy frames for which interconnect type?

- A. Brocade 32GB Fibre Channel Switch Module for HPE Synergy
- B. HPE virtual Connect SE 32 Gb FC Module for Synergy
- C. HPE Virtual Connect SE 100 Gb F32 Module tor Synergy
- D. HPE Synergy 12 Gb SAS Connection Module

Answer: C

Question: 115

Your customer wants to add dedicated Fibre Channel connectivity to the HPE Synergy frame running HPE Synergy 480 Gen10 compute modules, each with one CPU socket populated Currently they use two 12 Gb SAS switches and two HPE Virtual Connect SE 100Gb F32 Modules for HPE Synergy installed in third fabric.

What must be done to enable dedicated FC connectivity for this HPE Synergy frame?

- A. A second CPU must be installed for all HPE Synergy 480 Gen10 compute nodes.
- B. For Brocade switches, a logical interconnect group must be created in HPE OneView.
- C. For VC-FC modules, all of server facing ports must be property licensed.
- D. SAS switches must be moved to second fabric and FC modules Installed in the first one.

Answer: D

Question: 116

Which statement about the HPE D3940 storage module is true?

- A. SATA drives requires redundant 10 adapters to be installed in this module
- B. Up to five modules can be installed in a single frame with Gen10 servers
- C. it is configured through CLI available from HPE Synergy console
- D. Only one type of drives (SATA, SAS, SSD) can be installed in each module

Answer: C

Question: 117

Which statement about HPE Superdome Flex 280 is true?

- A. It supports 2 to 8 sockets in 2-socket increments.
- B. it cannot be managed using HPE OneView.
- C. It must be equipped with at least 768 GB of memory.
- D. It can support up to two nPars with an external RM

Answer: A

Question: 118

Which tool can be used to evaluate the health of an HPE Oneview appliance before proceeding with an appliance update.

- A. HPE Composer Maintenance Console
- B. HPE OneView Update Readiness Checker
- C. HPE OneView Global Dashboard
- D. HPE OneView Firmware Compliance Report

Answer: B

Question: 119

Your customer plans to deploy HPE Superdome Flex and configure two nPars, each based on two chassis Which components must be included in the proposal to meet the customer's needs?

- A. Rack Management Controller for nPar management
- B. HPE Superdome Flex Grid licenses enabling connectivity between chassis
- C. At least Four HPE Persistent Memory DIMMs per nPar
- D. One base chassis and three expansion chassis with licenses

Answer: D

Killexams.com is a leading online platform specializing in high-quality certification exam preparation. Offering a robust suite of tools, including Exam Questions, practice tests, and advanced test engines, Killexams.com empowers candidates to excel in their certification exams. Discover the key features that make Killexams.com the go-to choice for exam success.



Practice Exam Questions Based on Current Exam Objectives

Killexams.com provides practice exam questions aligned with the latest official exam objectives and latest syllabus. Our content is reviewed and updated regularly to reflect recent changes announced by certification vendors. By studying these practice questions, candidates will cover the structure, difficulty level, and topics of the actual exam, helping them prepare more effectively and efficiently.

Comprehensive Practice Exams (PDF Format)

Killexams.com offers multiple-choice questions (MCQs) in easy-to-read PDF format, covering all major domains of the exam. Each PDF contains a structured collection of practice questions and verified answers designed to support focused study. These MCQs help candidates reinforce key concepts, identify knowledge gaps, and improve exam readiness through consistent practice.

Realistic Practice Tests (Online Test Engine & Desktop Test Engine)

To support hands-on preparation, Killexams.com provides practice tests through both an Online Test Engine and a Desktop Test Engine. These tools are designed to simulate a real exam environment, allowing candidates to practice under exam-like conditions, with latest syllabus and topics of the exam. Performance tracking, test history, and result analysis help users evaluate their progress and focus on areas that need improvement.

Risk-Free Purchase Policy

Killexams.com follows a transparent and customer-friendly purchase policy. If users are not satisfied with the study materials, they may request assistance or a refund in accordance with our published terms and conditions. This policy reflects our commitment to customer satisfaction, fairness, and confidence in our preparation resources.

Regularly Updated Content

Our practice question bank is reviewed and updated on an ongoing basis to stay aligned with the latest exam outlines and vendor updates. This ensures candidates are studying up-to-date, relevant material, and preparing with content that reflects current exam expectations, helping them stay confident and well-prepared.