



Up-to-date Practice Test with Latest Questions and Answers covering latest syllabus and topics of the exam. Makes you ready to face actual exam.



PL-400 Practice Questions  
PL-400 Practice Test  
PL-400 Practice Exam  
PL-400 Exam Questions  
PL-400 Study Guide



[killexams.com](https://killexams.com)

**Microsoft**

# PL-400

Microsoft Power Platform Developer

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/PL-400>



## Question: 73

### HOTSPOT

You are developing an app for a sales team to record contact details in their Common Data Service (CDS) database.

The app must handle loss of network and save the data to CDS when reconnected.

The main screen of the app has a form to collect contact data and a button.

The OnSelect property for the button has the following expression:

```
1. If (  
2. Connection.Connected,  
3. Path(  
4. Contacts,  
5. Defaults(Contacts),  
6. {  
7. 'First Name': DataCardValue_FirstName.Text, 'Last Name': DataCardValue_LastName.Text  
8. }  
9. );  
10. Navigate(ConfirmationScreen,ScreenTransition.Fade)  
11. ,  
12. ClearCollect(  
13. LocalRecord,  
14. {  
15. 'First Name': DataCardValue_FirstName.Text, 'Last Name': DataCardValue_LastName.Text  
16. }  
17. );  
18. SaveData(LocalRecord, "LocalRecord");  
19. Navigate(PendingScreen,ScreenTransition.Fade)  
20. )
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The expression saves the data to CDS when reconnecting after losing network connection.	<input type="radio"/>	<input type="radio"/>
The collection contains all contacts not saved to CDS.	<input type="radio"/>	<input type="radio"/>
The expression updates existing contacts in CDS.	<input type="radio"/>	<input type="radio"/>
The expression handles loss of connection to CDS.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
The expression saves the data to CDS when reconnecting after losing network connection.	<input checked="" type="radio"/>	<input type="radio"/>
The collection contains all contacts not saved to CDS.	<input type="radio"/>	<input checked="" type="radio"/>
The expression updates existing contacts in CDS.	<input type="radio"/>	<input checked="" type="radio"/>
The expression handles loss of connection to CDS.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

Box 2: No

Box 3: No

Box 4: Yes

**Question: 74**

You need to identify the execution mode that is being used for the ISV solution reported by User5.

Which type of execution mode is in use?

- A. asynchronous
- B. atomicity
- C. transfer
- D. synchronous

**Answer: D**

Explanation:

User5 receives the error message: 'Endpoint unavailable' during a test of the technician dispatch ISV solution.

When you choose to use a synchronous execution mode any failure will be reported back to the user of the application with an Endpoint unavailable error dialog informing the user that the webhook service endpoint may be configured incorrectly or is not available.

Reference: <https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-webhooks>

### Question: 75

You need to ensure that users can create the required charts.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a quick view form to show the Accounts entity.
- B. Configure filter fields in the Annual revenue field.
- C. Add the Facility field to the account form.
- D. Delete the Annual revenue field from the account form.
- E. Create a view with annual revenue sorted lowest value to highest value.

**Answer:** B,C

Explanation:

Pharmacy orders must be displayed in four graphs as follows:

Annual revenue over \$100,000

Annual revenues under \$100,000

Research facilities

Hospitals

The graphs must be interactive, and users must be able to drill down on any dimension.

### Question: 76

DRAG DROP

You need to assign security roles to groups of users.

Which security roles should you use? To answer, drag the appropriate security types to the correct roles. Each security type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

## Security types

## Answer Area

	Role	Security type
Environment Maker	Intern	Security type
System Administrator	Manager	Security type
Common Data Service User	Sales representative	Security type
System Customizer		

### Answer:

## Security types

## Answer Area

	Role	Security type
Environment Maker	Intern	Environment Maker
System Administrator	Manager	System Administrator
Common Data Service User	Sales representative	Common Data Service User
System Customizer		

Explanation:

Graphical user interface, text, application

Description automatically generated

Scenario: The company identifies the following job roles:

Role	Tasks
Sales representative	These users will enter data into Dynamics 365 Customer Service.
Intern	These users will create Power Apps apps, and connectors, and create Power Automate flows.
Manager	These users will add users, assign security roles, and manage data storage.

You must grant users the minimum permissions required to perform their job tasks.

Intern: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access

data within an environment.

Manager: System Administrator:

System Administrator: Has full permission to customize or administer the environment, including creating, modifying, and assigning security roles. Can view all data in the environment.

Sales representative: Common Data Service User

Basic User/ Common Data Service User: Read (self), Create (self), Write (self), Delete (self)

Can run an app within the environment and perform common tasks for the records that they own.

### Question: 77

You need to modify the Power Automate flow to resolve CustomerC's issue.

What should you do?

- A. Add a configure run that is set to is successful.
- B. Add a data operation that specifies the false conditions.
- C. Add a condition containing approval hierarchy.
- D. Add a timeout setting to the approval flow.

### Answer: C

Explanation:

Scenario: CustomerC requested additional information from the parts department through the customer survey and has not received a response one week later.

Reference: <https://docs.microsoft.com/en-us/power-automate/sequential-modern-approvals>

### Question: 78

HOTSPOT

You are training a group of makers to use Power Automate.

You have the following expressions:

Name	Expression
1	<code>outputs('Get_Item').statusCode</code>
2	<code>"from": "@result('MyScope)'"</code>

You need to identify what each expression is doing.

What does each expression do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

## Expression

## Action

1

Return the statuscode at runtime.  
Return the output to the statuscode at runtime.  
Return the Get\_Item at runtime.

2

Return MyScope as all the action items.  
Return all the variables from all actions from MyScope.  
Return all the results from all actions from MyScope.

### Answer:

## Expression

## Action

1

Return the statuscode at runtime.  
Return the output to the statuscode at runtime.  
Return the Get\_Item at runtime.

2

Return MyScope as all the action items.  
Return all the variables from all actions from MyScope.  
Return all the results from all actions from MyScope.

Explanation:

Text

Description automatically generated

Box 1: Return the statuscode at runtime.

You could try the following method to get the status code.

Configure Compose action under the specified action to get the status code. `outputs('ActionName')['statusCode']`

Box 2: Return all the results from all actions from MyScope

The `@result()` expression accepts the name of a Scope as a parameter and returns a JSON array of objects that represent the results of the execution of each action within the Scope.

### Question: 79

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

**Solution:** Register a webhook in the Common Data Service that connects to the Azure Function. Register a step on the webhook which runs synchronously on the record's Create message and in the post-operation stage.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

Explanation:

Instead use asynchronous communication.

**Question:** 80

You need to reduce response time for the information email on the website.

What should you create?

- A. A flow that create a notification in Microsoft Teams
- B. A power Apps app that displays the number of emails received in a dashboard
- C. A flow that creates a SharePoint item for each email response
- D. Logic app that moves all emails received to Azure Blob storage.

**Answer:** A

Explanation:

Scenario:

Customers report that the response time from the information email listed on the Adventure Works Cycles website is greater than five days.

Microsoft Teams is used for all collaboration.

**Question:** 81

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution,

while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data.

**Solution:**

Enable change tracking for entities that will be synchronized.

Use the Data Export Service to sync data between the database and Dynamics 365 Sales.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Large organizations that synchronize their data with external data sources can now enable entities for change tracking. You can export or retrieve a selected set of data, and then keep the external data warehouse in sync.

The Data Export Service is an add-on service made available on Microsoft AppSource that adds the ability to replicate data from Common Data Service database to an Azure SQL Database store in a customer-owned Azure subscription.

The Data Export Service intelligently synchronizes the entire data initially and thereafter synchronizes on a continuous basis as changes occur (delta changes) in the system.

You can use the Data Export Service with model-driven apps in Dynamics 365, such as Dynamics 365 Sales and Dynamics 365 Customer Service.

Reference: <https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization>

<https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

**Question:** 82

**HOTSPOT**

You are developing a Power Platform solution. You plan to add three buttons to a form.

The buttons have the following requirements:

Button	Requirement
Button1	Add the current date and time to the form when the button is selected.
Button2	Apply conditional logic to change the form color based on the option selected in the Title field.
Button3	Ensure that the word Emergency is entered as "Emergency".

You need to complete each button's action.

Which commands should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Button	Command
Button1	<input type="text" value="Today() only"/> <input type="text" value="Now() only"/> <input type="text" value="Today() or Now()"/>
Button2	<input type="text" value="Switch () only"/> <input type="text" value="IF () only"/> <input type="text" value="Switch() or IF()"/>
Button3	<input )"="" contains="" emergency",="" type="text" value="IsMatch( TextInput1.Text, "/> <input &amp;="" )"="" contains="" emergency",="" ignorecase="" type="text" value="IsMatch( TextInput1.Text, "/> <input "emergency",="" &amp;="" )="" )"="" contains="" emergency",="" ignorecase="" ismatch(="" or="" textinput1.text,="" type="text" value="IsMatch( TextInput1.Text, "/>

**Answer:**

Button	Command
Button1	<input type="text" value="Today() only"/> <input type="text" value="Now() only"/> <input type="text" value="Today() or Now()"/>
Button2	<input type="text" value="Switch () only"/> <input type="text" value="IF () only"/> <input type="text" value="Switch() or IF()"/>
Button3	<input )"="" contains="" emergency",="" type="text" value="IsMatch( TextInput1.Text, "/> <input &amp;="" )"="" contains="" emergency",="" ignorecase="" type="text" value="IsMatch( TextInput1.Text, "/> <input "emergency",="" &amp;="" )="" )"="" contains="" emergency",="" ignorecase="" ismatch(="" or="" textinput1.text,="" type="text" value="IsMatch( TextInput1.Text, "/>

Explanation:

Box 1: Now() only.

The Now function returns the current date and time as a date/time value.

Box 2: Switch() or IF()

If and Switch functions in Power Apps determines whether any condition in a set is true (If) or the result of a formula matches any value in a set (Switch) and then returns a result or executes an action.

Box 3: isMatch( TextInput1.Text,"emergency",Contains & IgnoreCase )

Example: IsMatch( TextInput1.Text, "hello", Contains & IgnoreCase )

Tests whether the user's input contains the word "hello" (case insensitive).

### Question: 83

#### DRAG DROP

An international organization has a series of client-server applications that manage red light cameras and traffic violations across a wide geographic region. The daily volume of traffic violations is very high and growing.

You plan to use Microsoft Power Platform apps to manage the following types of data:

Existing vehicle licensing data must be imported into Common Data Service and easily queried.

Red light camera images must be stored in a repository for later analysis.

Information about traffic violations must be stored and related to vehicle details.

You need to select data storage mechanisms for the new apps.

Which data storage mechanisms should you use? To answer, drag the appropriate data storage mechanisms to the correct data types. Each storage mechanism may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Data storage mechanisms	Data type	Data storage mechanism
Entity	Vehicle licensing data	
Azure Storage Blob	Red light camera photos	
Azure Cosmos DB	Information about traffic violations	

### Answer:

Data storage mechanisms	Data type	Data storage mechanism
Entity	Vehicle licensing data	Azure Cosmos DB
Azure Storage Blob	Red light camera photos	Azure Storage Blob
Azure Cosmos DB	Information about traffic violations	Entity

### Question: 84

You need to configure the trigger for the priority field in the Account entity.

Which expression should you use?

- A. DIFFINWEEKS(now,1)
- B. SUBTRACTDAYS(10, Now())
- C. ADDWEEKS(1, CreatedOn)
- D. DIFFINDAYS(Createdon, now())
- E. ADDDAYS(10, CreatedOn)

**Answer:** C

Explanation:

A trigger must be created that changes the Priority field to 1 in the Account record 10 days after an Account record is created.

Note:

Date.AddWeeks returns the date, datetime, or datetimezone result from adding numberOfWeeks weeks to the datetime value dateTime.

CreatedOn gets the value to store in the history table indicating when this entry was created.

Reference:

<https://docs.microsoft.com/en-us/powerquery-m/date-addweeks>

<https://docs.microsoft.com/en-us/dotnet/api/system.data.entity.migrations.model.inserthistoryoperation.createdon?view=entity-framework-4.3.1>

<https://docs.microsoft.com/en-us/dotnet/api/system.data.entity.migrations.model.inserthistoryoperation.createdon?view=entity-framework-4.3.1>

Killexams.com is a leading online platform specializing in high-quality certification exam preparation. Offering a robust suite of tools, including Exam Questions, practice tests, and advanced test engines, Killexams.com empowers candidates to excel in their certification exams. Discover the key features that make Killexams.com the go-to choice for exam success.



## Practice Exam Questions Based on Current Exam Objectives

Killexams.com provides practice exam questions aligned with the latest official exam objectives and latest syllabus. Our content is reviewed and updated regularly to reflect recent changes announced by certification vendors. By studying these practice questions, candidates will cover the structure, difficulty level, and topics of the actual exam, helping them prepare more effectively and efficiently.

## Comprehensive Practice Exams (PDF Format)

Killexams.com offers multiple-choice questions (MCQs) in easy-to-read PDF format, covering all major domains of the exam. Each PDF contains a structured collection of practice questions and verified answers designed to support focused study. These MCQs help candidates reinforce key concepts, identify knowledge gaps, and improve exam readiness through consistent practice.

## Realistic Practice Tests (Online Test Engine & Desktop Test Engine)

To support hands-on preparation, Killexams.com provides practice tests through both an Online Test Engine and a Desktop Test Engine. These tools are designed to simulate a real exam environment, allowing candidates to practice under exam-like conditions, with latest syllabus and topics of the exam. Performance tracking, test history, and result analysis help users evaluate their progress and focus on areas that need improvement.

## Risk-Free Purchase Policy

Killexams.com follows a transparent and customer-friendly purchase policy. If users are not satisfied with the study materials, they may request assistance or a refund in accordance with our published terms and conditions. This policy reflects our commitment to customer satisfaction, fairness, and confidence in our preparation resources.

## Regularly Updated Content

Our practice question bank is reviewed and updated on an ongoing basis to stay aligned with the latest exam outlines and vendor updates. This ensures candidates are studying up-to-date, relevant material, and preparing with content that reflects current exam expectations, helping them stay confident and well-prepared.